

IN THE CLAIMS

Claims 1 through 21. (Cancelled with this Amendment)

¹
Claim ~~22~~. (Original) An asphalt coated roofing shingle comprising a cured, non-woven glass fiber mat of by weight, from about 0.001 to about 15% polysiloxane; from about 60 to about 95% glass fibers distributed in from about 40 to about 5% of a urea/formaldehyde binder containing between about 0.1 and about 20% of a crosslinked styrene/(meth)acrylic polymer.

²
Claim ~~23~~. (Original) The roofing shingle of claim ~~22~~ wherein the mat comprises, by weight, from about 0.01 to about 10 % polysiloxane; from about 68 to about 92% glass fibers and from about 8 to about 32% urea/formaldehyde binder containing between about 0.05 and about 15% styrene/(meth)acrylic polymer modifier which is 0.05 to 10% crosslinked.

³
Claim ~~24~~. (Original) The roofing shingle of claim ~~22~~ wherein polysiloxane is poly(dimethylsiloxane).

⁴
Claim ~~25~~. (Original) The roofing shingle of claim ~~22~~ wherein the polysiloxane is between about 0.1 and about 2% of said modified binder.

⁵
Claim ~~26~~. (Original) The roofing shingle of claim ~~22~~ wherein said styrene/(meth)acrylic polymer is from about 1 to about 5% crosslinked.

Divisional Application of Serial No. 10/314,851

⁶
Claim ~~27~~. (Original) An asphalt coated roofing sheet comprising a cured, polysiloxane containing, non-woven fiber glass mat of, by weight, from about 0.001 to about 15% polysiloxane; from about 60 to about 95% fibers distributed in from about 40 to about 5% of said modified urea/formaldehyde binder.

⁷
Claim ~~28~~. (Original) The asphalt coated roofing sheet of claim 27 wherein the mat comprises, by weight, from about 0.01 to about 10% polysiloxane; from about 68 to about 90% glass fibers and from about 10 to about 32% urea/formaldehyde binder containing between about 0.05 and about 15% crosslinked styrene/(meth)acrylic polymer.

⁸
Claim ~~29~~. (Original) The asphalt coated roofing sheet of claim ~~27~~⁷ wherein the polysiloxane is poly(dimethylsiloxane).

⁹
Claim ~~30~~. (Original) The asphalt coated roofing sheet of claim ~~27~~⁷ wherein the polysiloxane is between about 0.1 and about 2 wt.% of said modified binder.

¹⁰
Claim ~~31~~. (Original) The asphalt coated roofing sheet of claim ~~27~~⁷ wherein said styrene/(meth)acrylic polymer is between about 0.5 and about 5 % crosslinked with acrylonitrile.

¹¹
Claim ~~32~~ (Cancelled with this Amendment).

Respectfully submitted,

William J. Davis

William J. Davis
Attorney for Applicants
Registration No. 30,744